No.



9200035

Sunderman Breeding Inc.

Colherens, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TUTLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE IN THE APPLICANT (S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION (MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT, ARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT (S).

UNTO THE SAID APPLICANT(S), AND THE SUCCESSORS, HEIRS OF ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF SIGNEON THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-DE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, PORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. ITED STATES SEED OF THIS VARIETY (1) SHALL BE SOLD BY VARIETY NAME ONLY AS CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS E OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

WHEAT

'Sunstar II'

In Lestimony Winercot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this 31st day of October

the year of our Lord one thousand nine

undred and ninety-four.

Plant Variety Protection Office Mural Marketing Service

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055), Washington, 20250.

FORM APPROVED: OMB 0581-0055, Expires 1/31/91

U.S. DEPARTMENT OF AGRICULTURAL MARKETIN APPLICATION FOR PLANT VARIETY	IG SERVICE PROTECTION	I CERTIFICATE	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).
(Instructions on re 1. NAME OF APPLICANT(S) (es it is to appear on the Certificate)	verse)	7.11000 1010 1010	
Sunderman Breeding Inc.		2. TEMPORARY DESIGNATION OR EXPERIMENTAL NO. SDM 2	3. VARIETY NAME Sunstar II
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)		5. PHONE (Include area code)	FOR OFFICIAL USE ONLY
3754 North 2700 East Twin Falls, ID 83301		200 722 0000	PVPO NUMBER
The state of twining falling and the control of the state		208 733 0902	9200035
in de la companya de Companya de la companya de la compa			7 6 9 9 9 9 9
		- \$+ +	[Dec. 91991
6. GENUS AND SPECIES NAME 7.	FAMILY NAME (Botania	al)	I Time
Tirticum Aestivum	Cramineae		G A.M P.M.
8. CROP KIND NAME (Common Name)	9.	DATE OF DETERMINATION	F Filing and Examination Fee:
Sprign Wheat, Common	Δ1	gust 19 87	E \$2/30,
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZ		<u> </u>	S Date O 1991
والمرابي والمنافر والمنافرة والمنافر	A DON (Corporation, part	versinp, association, etc.)	R Dec, 9,1991
Chapter S Corporation			C Certificate Fee:
11. IF INCORPORATED, GIVE STATE OF INCORPORATION	12. DA	TE OF INCORPORATION	E \$ 250, -
Idaho		une 25, 1991	D hune 20, 1994
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SE			1 - July 20, 1414
37.54 N 27.00 E Twin Falls TD 83.01 14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow a. Exhibit A, Origin and Breeding History of the Variety. b. Exhibit B, Novelty Statement. c. Exhibit C, Objective Description of Variety. d. Exhibit D, Additional Description of Variety. e. Exhibit E, Statement of the Basis of Applicant's Ownership. f. Seed Sample (2,500 viable untreated seeds). Date Seed Sa g. Filing and Examination Fee (\$2,150) made payable to "Treat Filing and Examination Fee (\$2,150) made payable to "Treat Filing and Examination Fee (\$2,150) made payable to "Treat Protection Act.) 16. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD Protection Act.) 16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS? NO 18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY PES (II "YES," through Plant Variety Protection Act	mple mailed to Plant V surer of the United Sta BY VARIETY NAME ONLY NO (If "No") 17. IF "YES" TO	ariety Protection Office Nov 26 Ites." AS A CLASS OF CERTIFIED SEED? (Se 0," skip to item 18 below) ITEM 16, WHICH CLASSES OF PRODUC	, 1991 e section 83(a) of the Plant Variety CTION BEYOND BREEDER SEED?
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR MARI YES (II "YES," give names of countries and dates) NO 20. The applicant(s) declare(s) that a viable sample of basic seeds request in accordance with such regulations as may be applica. The undersigned applicant(s) is (are) the owner(s) of this see uniform, and stable as required in section 41, and is entitled to Applicant(s) is (are) informed that false representation herein	of this variety will ble. kually reproduced n protection under th	be furnished with the applicatio ovel plant variety, and believe e provisions of section 42 of the F	(s) that the variety is distinct.
SIGNATURE OF APPLICANT [Owner(s)]	CAPACITY OR T	TLE	DATE
Donald W. Singlerman	Preside		Nov 26, 1991
SIGNATURE OF APPLICANT [Owner(s)]	CAPACITY OR T	TLE	DATE

FORM CSSD-470 (5-89) Edition of FORM LS-470, 3-86, is obsolete.

WHEAT

'Sunstar II'

Pedigree: Sunstar II was selected as one of three off type plants found among plants of Western Plant Breeders 906 R that were being used as parents in the 1987 Sunderman crossing plot. The original seed of 906 R was obtained from a lot that had been used as a standard in yield trials for at least 8 years. Sunstar II apparently resulted from an outcross of 906 R with one of the other selections in the trial. Sunstar II has been stable through 5 generations of selfing and during seed increase. Tall off types appear approximately 1:15,000.

14B Exhibit B. Novelty Statement

'Sunstar II'is most similar to 'Western Plant Breeders 906R and 'WPB 926'. It differs from them and most other western hard red spring wheats in that it has a blue-green plant color and waxy bloom at the boot stage and the others do not. The erect twisted flag leaf also distinguishes Sunstar II from the two Western Plant Breeders varieties and from Probrand 751. Glumes of Sunstar II are very tight which makes it moderately hard threshing and very resistant to shattering. WPB 906R is very susceptible to shattering and WPB 926 is moderately susceptible to shattering. Sunstar II is similar to one day later in heading than WPB 906R and WPB 926 but is 4 to 6 days later in maturity.

Recent tests for high molecular weight glutenin alleles show that WPB 906R has 2* on the A genome, 17+18 on the B genome, and 5+10 on the D genome. Sunstar II has 2* on A, 7+8/17+18 on B and 5+10 on D. Sunstar I, developed by Sunderman Breeding Inc., which is almost identical to Sunstar II, was never released for commercial production.



U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE COMMODITIES SCIENTIFIC SUPPORT DIVISION BELTSVILLE, MARYLAND 20705

WHEAT (TRITICUM SPP.)

INSTRUCTIONS: See Reverse.

MM. LEAF WIDTH (First leaf below flag load)

FORM LMGS 470-6 (6-82) (Formerly Form LPGS 470-6 (3-79), which may be used)

OBJECTIVE DESCRIPTION OF VARIETY

EXHIBIT C (Wheel)



CM. LEAF LENGTH (First leaf below flag leaf):

Sunderman Breeding Inc.	FOR OFFICIAL USE ONLY
ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code)	PYPO NUMBER
	VANIETY NAME OR TEMPORARY
3754 North 2700 East	DESIGNATION
Twin Falls Idaho 83301	
Place the appropriate number that describe the	
Place the appropriate number that describes the varietal character of this variety in Place a zero in first box (e.s. 0 8 9 or 0 9) when number is either 99 or le	in the boxes below. ss or 9 or less.
I. KIND:	
	POULARO 7 = CLUB
2. TYPE:	3
1 1 = SPRING 2 = WINTER 3 = OTHER (Specify) 2 = HARD	3 = OTHER (Specify)
2 1 = WHITE 2 = RED 3 = OTHER (Specify)	
3. SEASON - NUMBER OF DAYS FROM EMERGENCE TO:	
	AST FLOWERING
4. MATURITY (50% Flowering):	
0 5 NO. OF DAYS EARLIER THAN 3 1 = ARTH	IUR 2 = SCOUT 3 = CHRIS
4715	in the second se
	stern Plant Breeders 906 R
5. PLANT HEIGHT (From soil level to top of head):	
	shorter than 906 R under heavy
ferti	llity, Similar in height under
CM. TALLER THAN	al fertility.
	UR 2 = SCOUT 3 = CHRIS
1 7 CM. SHORTER THAN	4 - LEFDS
PLANT COLOR AT BOOTING (See reverse): 7. ANTHER COLO	tana kantana di Talanga kana kana ang kanalang at at at talang at talang at talang at talang at talang at talan
3 1 = YELLOW GREEN 2 = GREEN 3 = BLUE GREEN 1 1 = YELLOW	
STEM:	Y 2 * PURPLE
<u> </u>	the second secon
Anthocyanin: 1 = ABSENT 2 = PRESENT 2 Waxy bloom:	1 = ABSENT 2 = PRESENT
Hairiness of last intermode of rachis: 1 = ABSENT 2 = PRESENT 1 Intermodes:	
	1 = HOLLOW 2 = SOLID
TITUO OF NODES (Officially from and about a contract to the first traction)	1 = HOLLOW 2 = SOLID TERNODE LENGTH BETWEEN FLAG LEAF EAF BELOW
NO. OF NODES (Originating from node above ground)	TERNODE LENGTH BETWEEN FLAG LEAF
NO. OF NODES (Originating from node above ground)	TERNODE LENGTH BETWEEN FLAG LEAF EAF BELOW
AURICLES: Authocyanin: 1 = ABSENT 2 = PRESENT Authocyanin: 1 = ABSENT 2 = PRESENT Hairiness:	TERNODE LENGTH BETWEEN FLAG LEAF EAF BELOW
AURICLES: Authocyanin: 1 = ABSENT 2 = PRESENT LEAF: Flag leaf at 1 = ERECT 2 = RECURVED	TERNODE LENGTH BETWEEN FLAG LEAF EAF BELOW
AURICLES: Anthocyanin: 1 = ABSENT 2 = PRESENT LEAF: Flag leaf at 1 = ERECT 2 = RECURVED 2 Flag leaf: 1 Booting stage: 3 = OTHER (Specify): 2 Flag leaf: 1	TERNODE LENGTH BETWEEN FLAG LEAF EAF BELOW 1 = ABSENT 2 = PRESENT = NOT TWISTED 2 = TWISTED
AURICLES: Anthocyanin: 1 = ABSENT 2 = PRESENT LEAF: Flag leaf at 1 = ERECT 2 = RECURVED 2 Flag leaf: 1 Hairs of first leaf shorts: 1 = ABSENT 1 = ABSENT 2 = RECURVED 2 Flag leaf: 1	TERNODE LENGTH BETWEEN FLAG LEAF EAF BELOW = ABSENT 2 = PRESENT

920	0	0.	3.	5
-----	---	----	----	---

	<u> </u>		1200033
11. HEAD: 1 Density: 1 = LAX	2 = DENSE	2 Shape: 1 = TAPE 4 = OTHE	
Awnedness: 1 = A	WHLESS 2 = APICALLY AWHLETED	3 = AWNLETED 4 = AWN	(ED
2 Color at maturity:		4 = RED HER (Specify):	
1 0 CM. LENGTH		1 2 MM. WIDTH	
·	T (CA. 7 mm.) 2 = MEDIUM (CA. 8 mm.) (CA. 9 mm.)	3 Width: 1 = NARR	OW (CA. 3 mm.) 2 = MEDIUM (CA. 3.5 mm.)
2 Shoulder 1 = WAN shape: 4 = SQU	TING 2 = OBLIQUE 3 = ROUNDED ARE 5 = ELEVATED 6 = APICULATE	3 Beak: I = OBTUS	E 2 = ACUTE 3 = ACUMINATE
13. COLEOPTILE COLO	R:	14. SEEDLING ANTHOO	YANIN
1 = WHITE 2 = 1	RED 3 = PURPLE	1 = ABSENT	2 = PRESENT
15. JUVENILE PLANT G	ROWTH HABIT:		
3 1 = PROSTRATE	2 = SEMI-ERECT 3 = ERE	ст	
16. SEED:	the control of the co		
1 Shape: 1 = OVATE	2 = OVAL 3 = ELLIPTICAL	1 Cheek: 1 = ROUNI	DED 2 = ANGULAR
2 Brush. 1 = SHORT		1 Brush: I = NOT C	OLLARED 2 = COLLARED
Phenol reaction (See instructions):	1 = IVORY 2 = FAWN 3 = LT. BROW 4 = BROWN 5 = BLACK	VN	
3 Color: T = WHITE	2 = AMBER 3 = RED 4 = PURPLE	5 = OTHER (Specity)	
0 7 MM. LENGTH	0 4 MM. WIDTH	4 7 GM. PER 1000	SEEDS
17. SEED CREASE:		· · · · · · · · · · · · · · · · · · ·	
2 = 80% OR L	LESS OF KERNEL 'WINOKA' LESS OF KERNEL 'CHRIS' AS WIDE AS KERNEL 'LEMHI'	2 = 35% 0	R LESS OF KERNEL 'SCOUT' R LESS OF KERNEL 'CHRIS' R LESS OF KERNEL 'LEMHI'
		3 - 30 % 0	A CESS OF REAREL LEMAI
STEM RUST	ted, 1 = Susceptible, 2 = Resistant) LEAF RUST (Races) Prevalent	2 STRIPE RUST (Recee) Prevall	ent 0 Loose smut
0 POWDERY MILDEW	О винт	OTHER (Specify)	
19. INSECT: (0 = Not Test	ed, 1 = Susceptible, 2 = Resistant)	-	
SAWFLY	O APHID (Bydy.)	O GREEN BUG	O CEREAL LEAF BEETLE
O OTHER (Specify)	HESSIAN FLY	GP A	в С
	RACES:	D E	
20. INDICATE WHICH YARI	ETY MOST CLOSELY RESEMBLES THAT S	UBMITTED:	
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant tillering	WPB 926	Seed size	Nomad On
Leaf size	WPB 926	Seed shape	2 VEC 1 1 600 FO
Leaf color	Penawawa	Coleoptile elongation	1992 5 [2]
Leaf carriage	Probrand 751	Seedling pigmentation	Programment C
· · · · · · · · · · · · · · · · · · ·	INSTRU		(2) 100 Ole (20)

GENERAL: The following publications may be used as a reference aid for the standardization of terms and procedures for completing this form:

- (a) L.W. Briggle and L. P. Reitz, 1963, Classification of Triticum Species and Wheat Varieties Grown in the United States, Technical Bulletin 1278, United States Department of Agriculture.
- (b) W.E. Walls, 1965, A Standardized Phenol Method for Testing Wheat Seeds for Varietal Purity, contribution No. 28 to the handbook of seed testing prepared by the Association of Official Seed Analysis. (See attachment.)

14 D. Exhibit D. Additional Description of Sunstar II'

'Sunstar II'is a common hard red spring wheat Triticum aestivum L.

Under Idaho conditions Sunstar II is similar in flowering date with WPB 906R'and WPB 926'but is normally 2 to 3 days earlier than 'Pinacle'and'Probrand 751'and 8 days earlier than Vandal'. The average flowering date at Aberdeen Idaho has been June 16. Last flowering date may be as many as 13 days later.

Sunstar II has averaged 82 cm in height, but may vary from 75 to 90 depending upon the year and fertility level. Straw of Sunstar II is very stiff and the variety has not lodged at production levels of up to 8,400 lbs per acre.

Leaves are dark green on young plants and blue green at booting. Flag leaves are relatively small, erect and twisted. The flag leaf sheath has a moderately heavy waxy bloom.

Spikes are middense, clavate, and awned and are yellow and erect at maturity. Spike width and length average 12 mm and 10 cm, respectively under ideal conditions.

The glumes of Sunstar II are tightly attached to the rachis. Under irrigated conditions, they are long and wide with oblique, midwide shoulders. Beaks are obtuse and 2 to 5 mm long.

Kernels of Sunstar II are red and ovate in shape with rounded cheeks and a moderately deep crease. The brush is midsized and midlong.

Kernels grown from plants grown under irrigation average 7 mm long and 4 mm wide with an average kernel weight of 47 g per thousand.

Sunstar II has been resistant to stripe rust and to the prevalant races of leaf rust.

Under average irrigated growing conditions, Sunstar II produces yields similar to those of Pondera, WPB 906 R, WPB 926 and Copper. With high fertility it has outyielded the other varieties by 900 lbs per acre. Test weight of Sunstar II is slightly better that those of other commercially grown varieties. Milling and baking quality of Sunstar II is equal to or better than that of other varieties.

Hard red spring wheats submitted by Don Sunderman. 1990 crop

Sample	Variety	Test Weight	Yleid	Sample Size, lbs.	
	Plots, Prot WPB 906 R				
2	Sunstar I	62.8	128.8	10	
3	SDM 2	61.8	133.3	10 Sunstar	1/_
4 Pro	obrand 751	61.3	124.9	10	
. 5	Nomad	62.7	135.7	10	
Duffin	Plots Prot	ein betw	een 13	and 14.5%	
6	906 R .	61.1	101.8	5.6	
7	Sunstar I	63.3	112.2	7.8	
8	Pinacle	62.8	114.0	9.0	
9	Pondera	62.1	102.7		
10	SDM 2	61.8	119.0	6.3 Sunstar	11_

CEREAL FOODS PROCESSORS WESTERN REGIONAL LABORATORY EXPERIMENTAL WHEAT REPORT

DATE

10/30/90

SOURCE

DON SUNDERMAN. #1 WPB 906R IDAHO HRS

WHEAT

MOISTURE

9.7

PROTEIN

13.7/13.0

TEST WEIGHT

60.4

FLOUR

MOISTURE

14.0

ASH

.414

PROTEIN

11.55

FARINOGRAM

ABSORPTION

60.3

ARRIVAL

1.6

PEAK

5.9

STABILITY

11.0

MTI

50

BAKE TEST

ABSORPTION

66

MIX TIME

6 MINUTES

LOAF VOLUME

3225 CC

INTERIOR

OPEN

REMARKS

VERY EXTENSIBLE. LOW TOLERANCE TO MIX

STICKY AND STRINGY DOUGH.

CEREAL FOODS PROCESSORS WESTERN REGIONAL LABORATORY EXPERIMENTAL WHEAT REPORT

DATE

10/30/90

SOURCE

DON SUNDERMAN #2 SUNSTAR I IDAHO HRS.

WHEAT

MOISTURE

9.8

PROTEIN

13/15/12.55

TEST WEIGHT

63.2

FLOUR

MOISTURE

14.4

ASH

.384

PROTEIN

11.35

FARINOGRAM

ABSORPTION

60.1

ARRIVAL

2.4

PEAK

6.3

STABILITY

9.0

MTI

50

BAKE TEST

ABSORPTION

65

MIX TIME

5 MINUTES

LOAF VOLUME

3175 CC

INTERIOR

MODERATELY OPEN

REMARKS

EXTENSIBLE SLACK DOUGH. LOW MIXING

TOLERANCE.

CEREAL FOODS PROCESSORS WESTERN REGIONAL LABORATORY EXPERIMENTAL WHEAT REPORT

DATE

10/30/90

SOURCE

DON SUNDERMAN #3 SDM 2 IDAHO HRS. Sunslar II

WHEAT

MOISTURE

9.6

PROTEIN

12.85/12.20

TEST WEIGHT

62.3

FLOUR

MOISTURE

14.5

ASH

.392

PROTEIN

10.85

FARINOGRAM

ABSORPTION

58.1

ARRIVAL

1.6

PEAK

3.1

STABILITY

8.0

ITM

30

BAKE TEST

ABSORPTION

66

MIX TIME

5 MINUTES

LOAF VOLUME

3225

INTERIOR

OPEN

REMARKS

EXTREMELY WEAK SLACK DOUGH. VERY LOW

TOLERANCE TO MIXING.

CEREAL FOODS PROCESSORS WESTERN REGIONAL LABORATORY EXPERIMENTAL WHEAT REPORT

DATE

10/30/90

SOURCE

DON SUNDERMAN #4 PROBRAND 751 IDAHO HRS.

WHEAT

MOISTURE

9.4

PROTEIN

12.75/12.10

TEST WEIGHT

61.2

FLOUR

MOISTURE

14.4

ASH

. 406

PROTEIN

11.05

FARINOGRAM

ABSORPTION

57.2

ARRIVAL

1.9

PEAK

5.8

STABILITY

9.1

MTI

70

BAKE TEST

ABSORPTION

(62

MIX TIME

4 MINUTES

LOAF VOLUME

3300 CC

INTERIOR

MODERATELY OPEN

REMARKS

MAXIMUM DEVELOPMENT AT 4 MINUTES. OVER-

MIXED PAST 4 MINUTES.

CEREAL FOODS PROCESSORS WESTERN REGIONAL LABORATORY EXPERIMENTAL WHEAT REPORT

DATE

10/30/90

SOURCE

DON SUNDERMAN #5 NOMAD IDAHO HRS.

WHEAT

MOISTURE

9.4

PROTEIN

12.75/12.1

TEST WEIGHT

62.6

FLOUR

MOISTURE

14.4

ASH

. 43

PROTEIN

10.5

FARINOGRAM

ABSORPTION

61.0

ARRIVAL

2.2

PEAK

5.4

STABILITY

6.4

MTI

100

BAKE TEST

ABSORPTION

66

MIX TIME

3

LOAF VOLUME

2275 CC

INTERIOR

VERY OPEN

REMARKS

BAKER COMMENTS. "WEAKEST FLOUR I'VE

SEEN. COMPLETELY BROKEN DOWN."

CEREAL FOODS PROCESSORS WESTERN REGIONAL LABORATORY EXPERIMENTAL WHEAT REPORT

DATE

10/30/90

SOURCE DON SUNDERMAN #6 906R IDAHO HRS.

WHEAT

MOISTURE

9.4

PROTEIN

14.7/13.8

TEST WEIGHT

61.7

FLOUR

MOISTURE

14.2

ASH

.406

PROTEIN

12.25

FARINOGRAM

ABSORPTION

61.5

ARRIVAL

1.7

PEAK

6.2

STABILITY

12.0

MTI

40

BAKE TEST

ABSORPTION

65

MIX TIME

5 MINUTES

LOAF VOLUME

3350 CC

INTERIOR

OPEN

REMARKS

EXTENSIBLE WITH LOW MIXING TOLERANCE.

CEREAL FOODS PROCESSORS WESTERN REGIONAL LABORATORY EXPERIMENTAL WHEAT REPORT

DATE

10/30/90

SOURCE

DON SUNDERMAN #7 SUNSTAR I IDAHO HRS.

WHEAT

MOISTURE

10.2

PROTEIN

13.4/12.85

TEST WEIGHT

63.7

FLOUR

MOISTURE

14.4

ASH

.378

PROTEIN

12.0

FARINOGRAM

ABSORPTION

60.6

ARRIVAL

2.7

PEAK

7.0

STABILITY

12.8

MTI

40

BAKE TEST

ABSORPTION

65

MIX TIME

5 MINUTES

LOAF VOLUME

3350 CC

INTERIOR

OPEN

REMARKS

VERY EXTENSIBLE DOUGH WITH SOME MIXING

TOLERNACE.

CEREAL FOODS PROCESSORS WESTERN REGIONAL LABORATORY EXPERIMENTAL WHEAT REPORT

DATE

10/30/90

SOURCE

DON SUNDERMAN #8 PINACLE IDAHO HRS.

WHEAT

MOISTURE

9.4

PROTEIN

14.05/13.35

TEST WEIGHT 62.6

FLOUR

MOISTURE

14.4

ASH

. 406

PROTEIN

11.7

FARINOGRAM

ABSORPTION

62.1

ARRIVAL

2.1

PEAK

5.4

STABILITY

7.2

MTI

90

BAKE TEST

ABSORPTION

66

MIX TIME

2 MINUTES

LOAF VOLUME

3100 CC

INTERIOR

OPEN

REMARKS

VERY WEAK. LOW TOLERANCE AT 2 MINUTES.

CEREAL FOODS PROCESSORS WESTERN REGIONAL LABORATORY EXPERIMENTAL WHEAT REPORT

DATE

10/30/90

SOURCE DON SUNDERMAN #9 PONDERA IDAHO HRS.

WHEAT

MOISTURE

9.5

PROTEIN

14.6/13.9

TEST WEIGHT

62.2

FLOUR

MOISTURE

14.4

ASH

.394

PROTEIN

12.1

FARINOGRAM

ABSORPTION

62.8

ARRIVAL

2.2

PEAK

5.5

STABILITY

10.5

ITM

40

BAKE TEST

ABSORPTION

MIX TIME

LOAF VOLUME

INTERIOR

REMARKS

NOT ENOUGH WHEAT FOR BAKE.

CEREAL FOODS PROCESSORS WESTERN REGIONAL LABORATORY EXPERIMENTAL WHEAT REPORT

DATE

10/30/90

SOURCE

DON SUNDERMAN #10. SDM 2 IDAHO HRS. Sunstan II

WHEAT

MOISTURE

9.8

PROTEIN

13.9/13.25

TEST WEIGHT

62.5

FLOUR

MOISTURE

14.4

ASH

.380

PROTEIN

11.8

FARINOGRAM

ABSORPTION

60.9

ARRIVAL

2.3

PEAK

6.7

STABILITY

11.8

MTI

40

BAKE TEST

ABSORPTION

66

MIX TIME

4 MINUTES

LOAF VOLUME

3375 CC

INTERIOR

OPEM

REMARKS

WEAK WITH LOW MIXING TOLERANCE.

26	2.															
1 9 9	1991 Sp.	Spring Wheat:		Group 117, C	Commerci	al	Nursery.		Ietonia	1	ABERDEEN	V 64B.				11111
21	·				7						TEST E	TEST BAKE DATA	<u>.</u>			
Variated V				FLOUR	FLOUR	MIX	HIXOGRAPH	H DAIA	<	HIX	HONOO	BAKE	LOAF	EXT.	INT.	
hall	LAB	ENIRY	VARIETY	PROTEIN	YIELD	PEAK	H	IOL	ABS	TIME	IYPE	ABS.	YOL.	GRADE	GRADE	COMME
1016	NUMBER	#		(%,14%mb)		(min)	(cm)	(ded)	(%)	(mim)	(0-2)	(14%mb)	(cc)	(0-5)	(0-2)	20 gr
28.6	9106202	293	Vandal	12.7	69.4	3.9	5.4	73	99	ы П	7	63	825	2.0	H U	89
	9106203	294	PH986-61	12.1	71.7	ლ	1	7	9	ਚ (ෆ	f~	ලි	905	ທ ຫ	2.5	
65.9	9106204	295	SunstarI		74.9	₽.S	6.9	63	52	2.0	[- -	29	875	a.o	2.5	65
71.0	9106205		Sunstarf		74.2	ស ហ	ល	Ą	សិ	2.9	٨	62	980	2.5	2.5	7/
9.69			Pinacle	11.4	69.7	7,7	ហ្	ហ្វ	5	ص ٦	ت	62	790	2.0	H. 53	6
	<u> </u>		Rick	12.7	71.1	2.6	ក ភ	76	5	2.2	٥	62	810	2.0	U.	9 I
7117	9106189	279	Copper	12.1	74.1	2.4	6.2	59	<u>6</u> 6	2.6	ம	63	895		2.5	T 7
629			Pondera	4 72 4	72.4	2.0	6 .5	53	99	2.3	٢.,	63	955	3.5	3.5	9
73,5		281	мрв 906A		72.5	7. 8	بر ق	73	65	2,6	Α.	62	925	3.0	2,52	T 2
64,3	9106192	282	MPB 926	11.9	72.4	2.9	6.2	22	65	3.0	٥	62	920	2.5	3.0	T 6
	9106193	283	Probrand	10.4	73.7	3.0	ប្រ	76	64	3.0	M	61	730	ហ	2.0	9
	9106194	284	BR 5738	11.4	70.0	2.7	9	78	4	2.9	.	61	910	 S	2.0	MSB
	9106195	285	BR5702	10.8	70.6	4.6	3	36	8	4.4	[~	61	965	ი ი	2.5	·
	9106196	286	BR8614	12.3	71.1	3.2	6.5	72	89	3.6	۵	65	910	т Г	2.0	MSB
	9106197	288	Bronze C	12.2	73.0	3.2	6.8	72	3	4.2	1	62	1000	2.0	2.5	MSB
67.2	9106193	289	Fremont	11.8	71.7	2.3	6.	33	20	2.0	<u>^</u>	62	845	2.5	2.5	9 I
12.2	9106199	38	Nomad	 	69.4	2.0	6.0	က္သ	65	2.0	Ν.	62	790	2.0	2.0	
•	9106200	291	TR983-23	11.8	70.4	2.8	5.6	67	<u>2</u>	2.7	Ü	62	945	3.0	2.0	s.c.
	9106201	292	WPB Expr	12.2	73.0	1.9	o O	8	ر ر	2.0	<u>[</u> ~	62	865	2.5	2.0	—
												į				

Sunstar II has excellent milling flour yield. Add 1% to flour protein to estimate grain protein. 17

T= tacky bread dough

18

				,																			
		n (1000)	Caracte	tcat	-		-				900		× (0)	% 00 %									
; : :	:			<u>:</u>	1	: 	1	1	1		; ;	י נ	r V	ų.	<u>ា</u>	2.0	2.0	1.5	2.5	Ω.	2.5	2.0	2.0
			X.		1	1	; ; ;	1		1	; =	ה ני	n n	C m	3.0	7	٠.0	ທ. ຄະ	2.5	0.4	4.0	υ υ	e r
	!			၁	1	1	 !	; ; ;		1	1 9	075	075	010	055	970	045	065	950	Ū60.	020	069	10/10
-	-	Data	ב ב	<u> </u>	1	1	; 	 	<u> </u>	1	÷	_ <u></u>	 -	 -						·		6.1	62 1
-		ake	<u>< :</u>	X1264	1	1	1	1	1	1	<u>:</u>		<u> </u>	G	<u>~</u>	9	7	7	^	!~	~	7	7
	- 1	- 1	£x		1	1	1	1	1	1	1	ري ت	ຕ ເ	2.9	2	2.7	•	ក ភ	3.0	2.3	2.7	1.9	2.7
-	!	<u>= </u>	!		1	1 1	1	1	1	1	- !	•	5	ស្ល	65	65	65		<u>.</u>	•	65	:	
			dat	101	1	1	1	1	1	1	1	<u>.</u>	ক্র	ñ.	3	η. Ω	õ	អ្ន	27	<u> 7</u>	្រុ	ឆ	5
		DM	raph	111	1	1	ı	1		-	! !	6.3	-	7.0	7.0		i e	7.6	7.	b . (. ! 4	9	7.0
	deer	11	LXOG	Peak	1	1	***************************************	; ;	1	1	1	7	1.6	2.8	2.7	2.2		i o), c	3 6	1.8	
	Abea				1	1	1	1	1	1	-	57.4	55.1	55.1	55.4	α α	A	56.1	1 U): ע 1: ע 1: ע	ָר ה ה	52.5	E2.7
	610	1 5	5	2	0	5.6	v	ហ	5.0	ν. :	ហ		•0		<u>:</u>	- 		<u> </u>			<u> </u>	-i	·
İ	roup	SMS	Flr	72	Wg 1	WG 1	T DA	T DA	T DM	₩g 1	wg 1	12.	12.		-		1	Ì	Į	7	† 0 	-	
ļ	5	Ke			Jake	91	-			Į	1	Ţ	Ľ	מאו	. 4	20.	7	0.00	F.O.)	¥.	nie	E 7	ָ מ נ
1	rser	d Da	arie	• ! •	Bred	PB Bd	endu	DULE	3000	0557	517.1)oppe	chole	o ac		ם ב		7	ი : ე	Coche) <u>azı</u>	1.emo	
	1 10	GE.		. 15	Jest	=	1	!						ļ	1			· · · · · · · · · · · · · · · · · · ·	-			<u> </u>	
	rcia	Mixo	rirk	- 1		2 00	מ	÷ DO	5 00	na O			.:					<u>-</u>				<u>.</u>	
,	Commo			; E	3 30	30				w	***********		.i					ក ក	********			G .	o To
1901	4 00c	1 L L L L L L L L L L L L L L L L L L L			10603	30603	0900	0000	603	0000		DECIM)C1657.4	30604	,000m	10504)UEC14) <u>0,60</u> 4	0505000
7		11 C		-	Ċ	; <u> </u>	<u>5</u>	<u> </u>	ਰ	. <u>წ</u>		-		<u>;</u> (.	<u>=</u>	<u>デ</u>	<u>ਨ</u>	<u>ਨ;</u>	7.00 7.00	<u>3</u>	<u>स</u>	<u>ぎ</u> つ
οΩ ΩΩ	12	22	E			•			-			123	**		11	601	129.			10'	0 :	601	12/.
	(060)	019 Aberdeen	1990 Commercial Mursery, Group 019 Aberdeen 1990 Commercial Mursery, Group 019 Aberdeen 1990 Commercial Mursery, Group 019 Aberdeen	019 Aberdeen Fest Bake Data PL11, B; #q Fl.R. Lxograph data Mtx Do Abs L.V. Ext. Int	O19 Aberdeen Fest Bake Data Pro FLR. Lxograph data MLX Do Abs L.V. Ext. mb YLD. Peak IIt 101 Abs Time Lype4%m CC	019 Aberdeen Fest Bake Data PLII, B = wq Fest Bake Data pro FLR. Lxograph data Mix Do Abs L.V. Ext. Int mb YLD. Peak IIt 101 Abs Time Jype 4%m CC — — — — — — — — — — — — — — — — — — —	O19 Aberdeen Fest Bake Data Pro FLR. txograph data Mtx Do Abs L.V. Ext. Int mb YLD. Peak IIt 101 Abs Iime 1ype 42m CC 5.0	019 Aberdeen M111, B = wq Fest Bake Data pro FLR. txograph data Mtx Do Abs L.V. Ext. Int mb YLD. Peak IIt Lul Abs Time Lype 42m CC 5.0	019 Aberdeen M111, B = wq Fest Bake Data pro F1.R. txograph data Mtx Do Abs L.V. Ext. Int S.0	019 Aberdeen Mill, B; = wq Fest Bake Data pro Fl.R. Lxograph data Mix Do Abs L.V. Ext. Int s.0	019 Aberdeen Pro Fi.R. ixograph data	019 Aberdeen Prill, B = wg Fest Dake Data Pro Fir. Lxograph data Mix Do Abs L.V. Ext. Int 5.0	440 1990 Commerce 1990 C	O19 Aber deen Fest Bake Data Pril 1, B wg Fest Bake Data Dro Fi.R. Ixograph data Mix Do Abs L.V. Ext. Int Canal Street 5.0 5.6 5.5 5.5 5.5 5.5 5.0 5.5 5.0 5.1 5.5 5.5 5.5 5.5 5.5 5.5 5.6 6.7 6.9 6.4 <td> 1990 Commercrial Hursery, Group 019 Aberdeen Rest Bake Data Hursery, Group 019 Aberdeen Rest Bake Data Hursery, Group 019 Aberdeen Hub Hursery Hursery</td> <td> 1990 Commerce: all Hursery, Group 019 Aberdeen Fest Bake Data Fest B</td> <td> 490_ </td> <td> 440</td> <td> 490 Commercial Hursery, Group O19 Aberdeen First Dake Data First Day Commercial Hursery, Group O19 Aberdeen First Day First</td> <td> 499 Commercial Hursery, Group O19 Aberdeen Lab III Lab III Commercial Hursery, Group O19 Aberdeen Lab III Commercial Hursery, Group O19 Aberdeen Lab III Commercial Hursery, Group O19 Aberdeen Lab III Commercial Hursery, Group O15 Lab III Commercial Hursery, Group O15 Lab III Commercial Hursery Lab III Lab</td> <td> 4440 1000 Commercial Hursery, Group 0.19 Aberdeen 1000 Commercial Hursery, Group 0.19 Aberdeen 1000 Commercial Hursery, Group Commercial Hursery, Group Commercial Hursery Hursery Commercial Hursery Commercial Hursery Commercial Hursery Hursery Commercial Hursery Hursery</td> <td> 490 Commercial Hursery, Group 0.19 Aberdeen High Date D</td> <td> 440 1. 1. 1. 1. 1. 1. 1. 1</td>	1990 Commercrial Hursery, Group 019 Aberdeen Rest Bake Data Hursery, Group 019 Aberdeen Rest Bake Data Hursery, Group 019 Aberdeen Hub Hursery Hursery	1990 Commerce: all Hursery, Group 019 Aberdeen Fest Bake Data Fest B	490_	440	490 Commercial Hursery, Group O19 Aberdeen First Dake Data First Day Commercial Hursery, Group O19 Aberdeen First Day First	499 Commercial Hursery, Group O19 Aberdeen Lab III Lab III Commercial Hursery, Group O19 Aberdeen Lab III Commercial Hursery, Group O19 Aberdeen Lab III Commercial Hursery, Group O19 Aberdeen Lab III Commercial Hursery, Group O15 Lab III Commercial Hursery, Group O15 Lab III Commercial Hursery Lab III Lab	4440 1000 Commercial Hursery, Group 0.19 Aberdeen 1000 Commercial Hursery, Group 0.19 Aberdeen 1000 Commercial Hursery, Group Commercial Hursery, Group Commercial Hursery Hursery Commercial Hursery Commercial Hursery Commercial Hursery Hursery Commercial Hursery Hursery	490 Commercial Hursery, Group 0.19 Aberdeen High Date D	440 1. 1. 1. 1. 1. 1. 1. 1

yill date on varuties tested. I'll higher gield of Sunstar I probably resulted in the bower protein.

Abs L.V. Ext. Int Comments	960 3.5 2.0 1020 4.0 2.0 950 2.5 2.0 985 2.0 2.0 1045 2.5 2.0	1030 945 1095 950 935	- 9.02 % % COOKIE - 9.07 % DIAMETER - 8.84 %	σ.
rdeen rest Bake ixograph data Mtx Do	9 2.9 7.4 55 64 2.0 6 3 2.5 7.6 48 64 2.4 7 8 2.0 6.7 59 64 2.0 6 6 2.3 7.7 55 64 2.9 6		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	62.8
1990 Commercial Mursery, Group 019 Aberlins- Mill, Mixo, and Bake; SMS -Mill, B	14% mb 100341 13.5 32 985-321 11.5 Brisgot 12.4	IIII SUNSTAR I 13.8 IIII SUNSTAR I I 12.1 III IIII IIIII IIII I 12.4 IIII IIII IIIIIIII IIII IIIIIIII IIIII IIII	Treasure 9.7 Penawawa 10.8 BZ-G04-12 10.3 Sprite 10.7	SN Centennial 10.6 SN BZ 634-5 10.8
1990 Commercial INS- Mill, Mixor	250 9006055 320 H 922 H 920 H 922 H 9006054 322 H 9006055 323 H	110,6 910,050,55 324 H 11,90 900,60,57 325 H 14,14,900,60,58 326 H 900,60,59 327 F 11,19 900,60,60 329 H	33.2 33.2 33.2 33.2	331 335

HAVE A HIGHER FLOOR YIELD THAN OTHER That The SUNSTARS VARIETIES 14E. Exhibit E. State of the basis of Applicant's Ownership
The variety for which Plant Variety Protection is hereby sought
was selected by Donald Sunderman, President of Sunderman Breeding
Inc.. Development and testing of the variety was also carried out
by him or under his supervision. All rights to the variety are
assigned to Sunderman Breeding Inc.